



1/5

Fig.1



2/5


Fig.2




3/5

Fig.3

Downlink direction



Uplink direction



4/5

Table 1

GACCH Burst	Uplink direction Measurements relating to the adjacent cells	Downlink direction GACCH Block
I		
A0	MS1, id 0 uplink	TA and PC for MS 1 to 4
A1	MS2, id 1 uplink	TA and PC for MS 1 to 4
A2	MS3, id 2 downlink	TA and PC for MS 1 to 4
A3	MS4, id 3 downlink	TA and PC for MS 1 to 4

Table 2


GACCH Burst	Uplink direction	Downlink direction GACCH Block
A0	MS1, id 0 both directions	TA for MS 1 to 4
A1	MS2, id 1 both directions	TA for MS 1 to 4
A2	MS3, id 2 both directions	TA for MS 1 to 4
A3	MS4, id 3 both directions	TA for MS 1 to 4

Table 3

GACCH Burst	Uplink direction	Downlink direction GACCH Block
A0	MS1, id 0 both directions	TA for MS 1
A1	MS2, id 1 both directions	TA for MS 2
A2	MS3, id 2 both directions	TA for MS 3
A3	MS4, id 3 both directions	TA for MS 4

5/5

Fig.4




MS

BS

TAold=30, off=3

Transmission time = $468.75 - (30+3) = 435.75$



Set transmission time

TAnew=TAold+TA-off

Transmission time = $468.75 - (31+3) = 434.75$

